STATEMENT OF WORK FOR THE

Rebuild of the Timing Distribution Buffer Circuit Card Assembly For the SB-3865(P)/TTC

NSN: 5998-01-259-6860

- 1.0 <u>SCOPE</u>. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commercial or government entity performing the rebuild) to rebuild the Timing Distribution Buffer Circuit Card Assembly, NSN 5998-01-259-6860, Part Number 1330460G1, CAGE 28528. This document contains requirements to restore the Timing Distribution Buffer Circuit Card Assembly to Condition Code "A". Condition Code "A" is defined as "serviceable/ issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repairs or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DOD Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Militay Standards

MIL-STD-129

DOD Standard Practice for Military Marking

MIL-STD-2073-1D

DOD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications

RS 08439A-50

Rebuild Standard for the Switchboard, Telephone,

Automatic, SB-3865(P)/TTC

Engineering Drawing 1330460 CAGE 28528

Circuit Card Assembly, Timing Distribution Buffer

Engineering Drawing 1330460 CAGE 28528

Parts List, Circuit Card Assembly, Timing Distribution

GE 28528 Buffer

DOD 4000.25-1-M

Military Standard Requisitioning and Issue Procedures

(MILSTRIP)

Military Handbook (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards

JESD625-A

Requirements for Handling Electrostatic-Discharge-

Sensitive (ESDS) Devices

ANSI/ISO/ASQC Q9001-2000

Quality Management Systems - Requirements

Industry Standard (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration

Management

Copies of Military Specifications and Standards are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179 or on the Internet at http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracts Department, (Code 891), P. O. Drawer 43019, 814 Radford Blvd., Albany, Georgia 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center (Code 583-1), 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

3.0 REQUIREMENTS

3.1 <u>General Task</u>. The Contractor shall rebuild the Timing Distribution Buffer Circuit Card Assembly, NSN 5998-01-259-6860, Part Number 1330460G1, CAGE 28528 in accordance with RS 08439A-50, Engineering Drawing 1330460 and Parts List 1330460, CAGE 28528.

3.2 Packaging, Handling, Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of item(s) being rebuilt under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be to the Level "A" requirements of MIL-STD-2073-1D, Appendix J, Table J.Ia., Specialized Preservation Code "GX", and shall be packed into a reusable fast pack container. Items scheduled for domestic shipment for immediate use or short-term storage shall be to Level "B" requirements.
 - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.

- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The Contractor shall apply configuration control procedures to established configuration baseline items. The Contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA) (Code 571-1) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to Materiel Management Department, Management Control Activity (Code 571-1), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320 or faxing a copy to commercial telephone number (229) 639-5498 or DSN 567-5498.
- 3.5 <u>Quality Assurances Provisions</u>. The Contractor shall provide and maintain a Quality System that as a minimum adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems Requirements.
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The Contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, testing, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 <u>Contractor Furnished Materiel (CFM)</u>. The contractor may requisition materiel as required in the performance of the SOW through the DOD Supply System. DOD 4000.25-1-M (MILSTRIP) Chapter 11 provides guidance to contractors on the requisitioning process. The contractor's decision to utilize CFM procured from the DOD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting hurrlen f.» this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0138), 1215 Jefferson Davis Highway, Suite 1204, Artington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

SYSTEM/ITEM Ciming Dist. Buffer Circuit Card Assy ATA ITEM NO. 2. TITLE OF DATA ITEM A001 Request For Deviation (RFD) Configuration Management UTHORITY (Data Acquisition Document No.) DI-CMAN-80640C 5. CONTRACT REFERENCE SOW Para 3.3 F. CONTRACTOR 6. REQUIRING OFFICE MCLBA (583-1)	A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY:						
Configuration Management Configuration Management			<u> </u>		TDP TM OTHER		X				
ALTONIA SOCIETY ACCOUNTS A LANGE CONTINUE ACCOUNTS A	D. SYSTEM/ITEM	Duffor Circuit C-	nd Asses	E. CONTRACT/PR	NO.	F. CONTRA	CTOR				
Request For Deviation (RFD) Request For Deviation (RFD) Configuration Management			ra Assy								
UNIDESTITE DATA ASSOCIATION FOR THE PROPRINGE SOW Para 3.3 DESCRIPTION OF THE PROPRINGE SOW PARA 3.3 DESCRIPTION OF THE PROPRING SOW PARA 3.3 ILLAS OF BAIL AS OF BAIL OF THE PROPRINGE SOW PARA 3.3 A STREET STREET SUBSTREET SOWN OF THE PROPRINGE SOWN OF THE PROPRISE SOWN	1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE			3. SUBTITLE					
UNIDESTITE DATA ASSOCIATION FOR THE PROPRINGE SOW Para 3.3 DESCRIPTION OF THE PROPRINGE SOW PARA 3.3 DESCRIPTION OF THE PROPRING SOW PARA 3.3 ILLAS OF BAIL AS OF BAIL OF THE PROPRINGE SOW PARA 3.3 A STREET STREET SUBSTREET SOWN OF THE PROPRINGE SOWN OF THE PROPRISE SOWN	A001	Red	Request For Deviation (RFD)					Configuration Management			
DI-CMAN-80640C DI-CMAN-80640C LT The product of A contractor format using doc or .pdf software applications is authorized. kt 4 - C Contractor format using doc or .pdf software applications is authorized. kt 5 - C Contractor format using doc or .pdf software applications is authorized. kt 5 - C Contractor format using doc or .pdf software applications is authorized. kt 5 - C Contractor format using doc or .pdf software applications is authorized. kt 5 - C C R S			I								
DESCRIPTION DESTRICTION TRANSPORT TRANSPORT OF PRINT SUBMISSION TRANSPORT TRAN	•						4	(583-1	`		
ASREQ SEE BLK 16 11.AS 09 DATE SUBMISSION 12.AS ADDRESSEE DLK 16 13.ADDRESSEE DLK 16 14.AS 09 DATE SUBMISSION 15.ADDRESSEE DLK 16 16.ADDRESSEE DLK											
A A A A A II.AS FBATE SUBMISSION A A ANDRESSE SUBMISSION SUBMISSION SUBMISSION SUBMISSION AND A SUBMISSION SUB			į.				14. DISTRIBUTION				
A A Submission Country Transport (a) The Contractor format using .doc or .pdf software applications is authorized. kk 4. Contractor format using .doc or .pdf software applications is authorized. kk 10 & 12 - RFDs shall be submitted to obtain authorization to deliver necessity of the Government. FDs will be reviewed and disposition determined within 20 working days upon ceipt by the Government. FDs shall be transmitted via E-Mail to the following address: bimateomeonfigningmin@logcom.usmc.mil istribution Statement A: Approved for public release, distribution is unlimited.			i			10					
Republic Notes of the control of the		٨	II. AS UF DAT	i E			a. ADDRESSEE	Draft	Fin	Final	
kk 4 Contractor format using .doc or .pdf software applications is authorized. kks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver monoforming material which does not meet prescribed configuration cumentation. FDs will be reviewed and disposition determined within 20 working days upon ceipt by the Government. FDs shall be transmitted via E-Mail to the following address: bmatcomconfigmingmint@logcom.usmc.mil istribution Statement A: Approved for public release, distribution is unlimited.		A							Reg	Repro	
ks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver excumentation. Characteristic which does not meet prescribed configuration content to the content of the content	Blk 4 - Contrac	ctor format using	.doc or .	pdf software a	applications is aut	horized.	MCLBA (583-1)	0	1	0	
FDs shall be transmitted via E-Mail to the following address: bmatcomconfigmngmmt@logcom.usmc.mil istribution Statement A: Approved for public release, distribution is unlimited.											
istribution Statement A: Approved for public release, distribution is unlimited.	receipt by the C	Government.			· · · · · · · · · · · · · · ·	Jo apon					
istribution Statement A: Approved for public release, distribution is unlimited.											
istribution Statement A: Approved for public release, distribution is unlimited.	mbmatcomconf	figmngmnt@logco	m.usmc.	.mil	uuui ood.						
	Distribution Sta	atement A: Appr	oved for	public release	, distribution is u	nlimited.					
15. TOTAL		* F -									
15. TOTAL											
15.TOTAL — 0 1 0											
15.TOTAL — 0 1 0											
15. TOTAL 0 1 0								† · · · · · · · · · · · · · · · · · ·			
15.TOTAL											
15.10TAL											
15. TOTAL								-			
15.TOTAL											
15.TOTAL											
15. TOTAL											
15. TOTAL											
15. TOTAL											
15. TOTAL ————————————————————————————————————											
15. TOTAL											
15. TOTAL							.,				
15. TOTAL											
15. TOTAL											
15. TOTAL											
15. TOTAL											
15. TOTAL											
15. TOTAL											
15. TOTAL											
15. TOTAL											
15. TOTAL											
15. TOTAL											
15. TOTAL								1 1			
15. TOTAL								 			
15. TOTAL - 0 1 0								 			
							15 TOTAL		1	Λ	
	G. PREPARED BY			H DATE	I ADDROVED D	v	IS. IUIAL		<u> </u>	U	
and C Vall 427/03 Par Summer 9 July 03	On A A	a			12						
	00 FORM 1422 4	me			Page:						